

Safety Data Sheet (SDS)

<i>Revision Number: 1.0</i>	<i>Last updated: October 2018</i>		
<u>1. Product and Company Identification</u>			
<i>Product Name:</i>	SensoLyte[®] Rh110 Furin Activity Assay Kit *Fluorimetric*		
<i>Manufacturer/Supplier:</i>	<table style="width: 100%; border: none;"> <tr> <td style="width: 60%;">AnaSpec, Inc. www.anaspec.com 34801 Campus Drive Fremont, CA 94555 Tel: 510-791-9560 Fax: 510-791-9572 Email: service@anaspec.com</td> <td style="width: 40%; text-align: right; vertical-align: top;">Eurogentec S.A www.eurogentec.com LIEGE Science Park 4102 Seraing, Belgium Tel: +32-4-3727400 Fax: +32-4-3727500 EGT Helpdesk, Tel: +32-4-3727500</td> </tr> </table>	AnaSpec, Inc. www.anaspec.com 34801 Campus Drive Fremont, CA 94555 Tel: 510-791-9560 Fax: 510-791-9572 Email: service@anaspec.com	Eurogentec S.A www.eurogentec.com LIEGE Science Park 4102 Seraing, Belgium Tel: +32-4-3727400 Fax: +32-4-3727500 EGT Helpdesk, Tel: +32-4-3727500
AnaSpec, Inc. www.anaspec.com 34801 Campus Drive Fremont, CA 94555 Tel: 510-791-9560 Fax: 510-791-9572 Email: service@anaspec.com	Eurogentec S.A www.eurogentec.com LIEGE Science Park 4102 Seraing, Belgium Tel: +32-4-3727400 Fax: +32-4-3727500 EGT Helpdesk, Tel: +32-4-3727500		
<i>Catalog Number</i>	AS-72256		
<i>Unit Size</i>	1 kit		
<u>2. Hazards Identification</u>			
<i>Emergency Overview:</i>			
<i>GHS Hazard Classification:</i>			
<i>GHS Physical Hazards</i>			
<p>Component A, B and E: Flammable liquid (Category 4)</p> <p>Component C and D: Skin irritation (Category 3), Eye irritation (Category 2B)</p>			
<i>GHS Health and Environmental Hazards</i>			
All components: Irritant to eyes and skin			
<i>GHS Signal Words:</i>			
All components: Warning			
<i>GHS Hazard Statements:</i>			
<p>Component A, B and E: H227 Combustible liquid</p> <p>Component C and D: H302 Harmful if swallowed. H316 Causes mild skin irritation, H320 Causes eye irritation. H335 May cause respiratory irritation.</p>			
<i>GHS Precautionary Statements:</i>			
All components: Not a hazardous substance or mixture.			

AnaSpec Inc.

34801 Campus Drive, Fremont, CA 94555

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573

HMIS Classification:

Component A:	Component B:	Component C:	Component D:	Component E:
<i>Health hazard: 0</i>	<i>Health hazard: 0</i>	<i>Health hazard: 0</i>	<i>Health hazard: 0</i>	<i>Health hazard: 0</i>
<i>Flammability: 2</i>	<i>Flammability: 2</i>	<i>Flammability: 0</i>	<i>Flammability: 0</i>	<i>Flammability: 2</i>
<i>Physical hazards: 0</i>	<i>Physical hazards: 0</i>	<i>Physical hazards: 0</i>	<i>Physical hazards: 0</i>	<i>Physical hazards: 0</i>

NFPA Rating:

Component A:	Component B:	Component C:	Component D:	Component E:
<i>Health hazard: 0</i>	<i>Health hazard: 0</i>	<i>Health hazard: 0</i>	<i>Health hazard: 0</i>	<i>Health hazard: 0</i>
<i>Fire: 2</i>	<i>Fire: 2</i>	<i>Fire: 0</i>	<i>Fire: 0</i>	<i>Fire: 2</i>
<i>Reactivity hazard: 0</i>	<i>Reactivity hazard: 0</i>	<i>Reactivity hazard: 0</i>	<i>Reactivity hazard: 0</i>	<i>Reactivity hazard: 0</i>

3. Composition / Information on Ingredients*Ingredients/Components:*

<i>Chemical Name:</i>	<i>Description</i>	<i>CAS Number:</i>
Component A	Contains DMSO	67-68-5
Component B	Contains DMSO	67-68-5
Component C	Proprietary	NA
Component D	Proprietary	NA
Component E	Contains DMSO	67-68-5

4. First Aid Measures**General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Component A, B and E

Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Skin: Wash off with soap and plenty of water. Consult a physician.

Eyes: Flush eyes with water as a precaution. Consult a physician.

Component C and D

Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Skin: Wash off with soap and plenty of water. Consult a physician.

Eyes: Flush eyes with water as a precaution. Consult a physician.

AnaSpec Inc.

34801 Campus Drive, Fremont, CA 94555

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573

<u>5. Fire Fighting Measures</u>	
<i>Extinguishing media:</i>	<p>Component A, B and E: For small fires, use dry chemical, or carbon dioxide. For large fires, use water spray from a safe distance.</p> <p>Component C and D: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.</p>
<i>Special firefighting procedures:</i>	<p>Component A, B and E: Fire fighters should wear positive pressure self-contained breathing apparatus and full turnout gear.</p> <p>Component C and D: Wear self-contained breathing apparatus for firefighting if necessary.</p>
<i>Unusual fire and explosions hazards:</i>	<p>Component A, B and E: Combustible liquid and vapor. Vapors are heavier than air and may travel to a source of ignition and flash back. Vapors can spread along the ground and collect in low or confined areas. Hazardous carbon oxides and sulphur oxides formed under fire conditions.</p> <p>Component C and D: No data available.</p>
<u>6. Accidental Release Measures</u>	
<i>Containment and spill response</i>	<p>Component A, B and E: Immediately contact emergency personnel. Prevent further leakage or spillage if safe to do so. Avoid breathing vapors or mist. Remove all sources of ignition and provide ventilation. Collect with an electrically protected vacuum cleaner, by wet-brushing, or by absorbing with vermiculite, sand or earth, and place in appropriate container for disposal. Do not let material enter drains. Discharge into the environment must be avoided.</p> <p>Component C and D: Sweep up and shovel. Keep in suitable, closed containers for disposal.</p>
<i>PPE</i>	Use personal protective equipment
<u>7. Handling and Storage</u>	
<p>Component A, B and E: <i>Handling:</i> Wash thoroughly after handling. Remove and wash any contaminated clothing. Keep container tightly closed and avoid contact with eyes, skin, and clothing. Use with adequate ventilation and avoid ingestion and inhalation. Keep away from heat and flame. <i>Storage:</i> Store in a tightly closed container away from moisture, heat, and flame. Store away from incompatible substances. Storage under a nitrogen blanket has been recommended.</p> <p>Component C and D: <i>Handling:</i> Avoid contact with skin and eyes. <i>Storage:</i> Keep container tightly closed in a dry and well-ventilated place.</p>	

AnaSpec Inc.

34801 Campus Drive, Fremont, CA 94555

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573

8. Exposure Controls / Personal Protection	
<i>Engineering controls</i>	<p>Component A, B and E: Facilities storing and using this material should be equipped with a safety shower and eyewash station. Adequate ventilation should also be present. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.</p> <p>Component C and D: General industrial hygiene practice.</p>
<i>PPE</i>	<p>Components A, B, C, D, and E:</p> <p><i>Eye/face protection</i> Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).</p> <p><i>Skin protection</i> Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.</p> <p><i>Body Protection</i> Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.</p> <p><i>Respiratory protection</i> Respiratory protection not required. For nuisance exposures use type OV/AG (US) or type ABEK (EU EN 14387) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).</p> <p><i>Control of environmental exposure</i> No special environmental precautions required.</p>
9. Physical and Chemical Properties	
<i>Physical State</i>	Liquid
<i>Odor</i>	Not determined
<i>Solubility in Water</i>	Soluble
<i>Specific Gravity</i>	Not determined
<i>pH</i>	Component D: 9.0
<i>Boiling Point</i>	Not determined
<i>Melting Point</i>	Not determined
<i>Flash Point</i>	Not determined
<i>Vapor Pressure:</i>	Not determined
<i>Vapor Density:</i>	Not determined
10. Stability and Reactivity	
<i>Thermal Decomposition</i>	Not applicable
<i>Dangerous Products of Decomposition</i>	Not applicable
<i>Dangerous Reactions</i>	Not applicable

AnaSpec Inc.

34801 Campus Drive, Fremont, CA 94555

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573

<u>11. Toxicological Information</u>	
<i>RTECS Number</i>	Component A, B and E: PV6210000 Component C and D: No data available.
<i>Toxicity</i>	Component A, B and E contain DMSO. For DMSO Oral LD50 LD50 Oral - rat - 14,500 mg/kg Inhalation LC50 LC50 Inhalation - rat - 4 h - 40250 ppm Dermal LD50 LD50 Dermal - rabbit - > 5,000 mg/kg Component C and D: No data available.
<i>Health Hazards</i>	No data available.
<i>Potential Hazards</i>	<i>Inhalation:</i> May be harmful if inhaled. Causes respiratory tract irritation. <i>Ingestion:</i> Harmful if swallowed. <i>Skin:</i> May be harmful if absorbed through skin. May cause skin irritation. <i>Eyes:</i> Causes eye irritation. Aggravated Medical Condition: Avoid contact with DMSO solutions containing toxic materials or materials with unknown toxicological properties. Dimethyl sulfoxide is readily absorbed through skin and may carry such materials into the body.
<i>Carcinogenicity:</i>	No data available
<i>OSHA Permissible Exposure Limit(PEL) Data</i>	No data available
<i>ACGIH Threshold Limit Values (TLV)</i>	No data available
<u>12. Ecological Information</u>	
<i>Toxicity</i>	Component A, B and E : (contain DMSO) Dimethyl sulfoxide (DMSO) CAS-No. 67-68-5 Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 34,000 mg/l - 96 h LC50 - Oncorhynchus mykiss (rainbow trout) - 35,000 mg/l - 96 h Toxicity to daphnia and other aquatic invertebrates. EC50 - Daphnia pulex (Water flea) - 27,500 mg/l Toxicity to algae EC50 - Lepomis macrochirus (Bluegill) - > 400,000 mg/l - 96 h Component C and D: No data available.
<i>Persistence and degradability</i>	No data available
<i>Bio accumulative potential</i>	No data available
<i>Mobility in soil</i>	No data available
<i>PBT and vPvB assessment</i>	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
<i>Other adverse effects</i>	No data available

AnaSpec Inc.

34801 Campus Drive, Fremont, CA 94555

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573

13. Disposal Considerations

The combustible material (Component A, B and E) may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. Transport Information

<i>UN Number</i>	N/A
<i>Hazard Class</i>	N/A
<i>Packing Group</i>	N/A
<i>Proper Shipping Name (DOT)</i>	N/A

15. Regulatory information

<i>California Proposition 65</i>	N/A
<i>US TSCA (Toxic Substance Control Act)</i>	All components: Listed
<i>US CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)</i>	Component A, B and E: 261.33 8(d). Component C and D: N/A
<i>US SARA Title III</i>	Component A, B and E SARA 302 components: N/A SARA 313 components: N/A SARA 311/312 Hazards: Fire Hazard, Chronic Health Hazard Component C and D SARA 302 components: N/A SARA 313 components: N/A SARA 311/312 Hazards: N/A
<i>US Clean Air Act</i>	All components <i>Listed under Hazardous Air Pollutants: Not listed</i> <i>Listed under Class 1 Ozone Depletors: Not listed</i> <i>Listed under Class 2 Ozone Depletors: Not listed</i>
<i>US Clean Water Act</i>	All components <i>Listed under "Hazardous Substances": Not listed</i> <i>Listed under "Priority Pollutants": Not listed</i> <i>Listed under "Toxic Pollutants": Not listed</i>

AnaSpec Inc.

34801 Campus Drive, Fremont, CA 94555

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573

US States: Right-to-Know: Listed in the following States:

Component A:	Component B:	Component C:	Component D:	Component E:
Pennsylvania Revision Date 2007-03-01 CAS 67-68-5	Pennsylvania Revision Date 2007-03-01 CAS 67-68-5	Pennsylvania CAS 7732-18-5 CAS 7365-45-9	Pennsylvania CAS 7732-18-5 CAS 7365-45-9	Pennsylvania Revision Date 2007-03-01 CAS 67-68-5
New Jersey Revision Date 2007-03-01 CAS 67-68-5	New Jersey Revision Date 2007-03-01 CAS 67-68-5	New Jersey CAS 7732-18-5 CAS 7365-45-9	New Jersey CAS 7732-18-5 CAS 7365-45-9	New Jersey Revision Date 2007-03-01 CAS 67-68-5
Massachusetts N/A	Massachusetts N/A	Massachusetts N/A	Massachusetts N/A	Massachusetts N/A

European/International Regulations:

	Component A:	Component B:	Component C:	Component D:	Component E:
<i>EC EINECS</i>	200-664-3	200-664-3	N/A	N/A	200-664-3
<i>EC Risk statements</i>	36/37/38	36/37/38	N/A	N/A	36/37/38
<i>WGK</i>	1	1	N/A	N/A	1
<i>Canada-DSL/NDSL</i>	Listed	Listed	N/A	N/A	Listed
<i>Canada-WHMIS classification</i>	D2B	D2B	N/A	N/A	D2B
<i>Canada-Canadian Ingredient Disclosure List</i>	Listed	Listed	N/A	N/A	Listed

16. Other Information

It is not intended for food, drug, household, agricultural or cosmetic use. A technically qualified individual experienced in handling potentially hazardous chemicals must supervise its use. The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product.

AnaSpec Inc.

34801 Campus Drive, Fremont, CA 94555

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573