## Safety Data Sheet (SDS)

Revision Number: <b>1.1</b>		Last updated Aug 28, 2017	
1. Product and Company Iden	ntification_		
Product Name:	Calcein blue, AM		
Manufacturer/Supplier:	AnaSpec, Inc.  www.anaspec.com  34801 Campus Drive  Fremont, CA 94555  Tel: 510-791-9560  Fax: 510-791-9572  Email: service@anaspec.com		
Catalog Number	89205		
Unit Size	1mg	1mg	

## 2. Hazards Identification

*Emergency Overview:* We do recommend handling all chemicals with caution. Use proper protective equipment when handling chemicals.

GHS Hazard Classification: N/A GHS Physical Hazards: N/A

GHS Health and Environmental Hazards N/A

GHS Signal Words: None

GHS Hazard Statements: N/A

GHS Precautionary Statements: N/A

Potential Health Effects for:

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Good hygiene practice requires that exposure be kept to a minimum and that suitable control

measures be used in an occupational setting.

*Ingestion:* If swallowed, wash out mouth with water provided person is conscious. Call a physician.

Skin: In case of contact, immediately wash skin with soap and copious amount of water.

Eyes: In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

Chronic Exposures: No information available. We recommend limiting prolonged exposure.

Target Organs: No information available

<u>3.</u>	<b>Composition</b>

Ingredients/Components:

Chemical Name: Calcein blue, AM

Molecular formula: N/A Molecular weight: 465.4

CAS-No N/A EC-No N/A

Chemical Name: CAS Number: EC-Number

## 4. First Aid Measures

Lab al ation.	If dues is inheled general from conteminated area				
Inhalation:	If dust is inhaled, remove from contaminated area.				
	Encourage patient to blow nose to ensure clear passage of breathing.  If irritation or discomfort persists seek medical attention.				
Ingestion:	If swallowed do <b>NOT</b> induce vomiting.				
	If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to				
	maintain open airway and prevent aspiration.				
	Observe the patient carefully.				
	Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably				
	drink.				
	Seek medical advice.				
Skin:	If skin or hair contact occurs:				
	Flush skin and hair with running water (and soap if available).				
	Seek medical attention in event of irritation.				
Eyes:	If this product comes in contact with the eyes:				
	Wash out immediately with fresh running water.				
	Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the				
	eyelids by occasionally lifting the upper and lower lids.				
	If pain persists or recurs seek medical attention.				

	<u>sures</u>	- Investigation of the control of th		
Extinguishing media:		Water spray or fog.		
		Alcohol resistant foam.		
		Dry chemical powder.		
		BCF (where regulations permit).		
		Carbon dioxide		
Special firefighting pro	cedures:	Alert Emergency Responders and tell them location and nature of		
special firefighting procedures.		hazard.		
		Wear breathing apparatus plus protective gloves.		
		Prevent, by any means available, spillage from entering drains or water		
		course.		
		Use water delivered as a fine spray to control fire and cool adjacent		
		area.		
		DO NOT approach containers suspected to be hot.		
		Cool fire exposed containers with water spray from a protected location.		
		If safe to do so, remove containers from path of fire.		
		Equipment should be thoroughly decontaminated after use.		
		Equipment should be thoroughly decontainmated after use.		
Unusual fire and explo	sions hazards:	Emits toxic fumes under fire conditions		
6. Accidental Release	Measures			
Spill response		l ignition sources.		
	Clean up all spills immediately.			
	Avoid contact with skin and eyes.			
		rsonal contact by using protective equipment.		
		Use dry clean up procedures and avoid generating dust.		
		suitable, labeled container for waste disposal		
Containment		personal contact, including inhalation.		
		ective clothing when risk of exposure occurs.		
		ell-ventilated area.		
	DO NOT enter confined spaces until atmosphere has been checked.			
	DO MOT			
		allow material to contact humans, exposed food or food utensils.		
	Avoid con	tact with incompatible materials.		
	Avoid con When hand	tact with incompatible materials. dling, DO NOT eat, drink or smoke.		
	Avoid con When hand Keep conta	tact with incompatible materials.  dling, DO NOT eat, drink or smoke.  ainers securely sealed when not in use.		
	Avoid con When hand Keep conta Avoid phy	tact with incompatible materials.  dling, DO NOT eat, drink or smoke.  ainers securely sealed when not in use.  sical damage to containers.		
	Avoid con When hand Keep conta Avoid phy Always wa	tact with incompatible materials.  dling, DO NOT eat, drink or smoke.  ainers securely sealed when not in use.  sical damage to containers.  ash hands with soap and water after handling.		
	Avoid con When hand Keep conta Avoid phy Always wa Use good	tact with incompatible materials.  dling, DO NOT eat, drink or smoke.  ainers securely sealed when not in use.  sical damage to containers.  ash hands with soap and water after handling.  occupational work practice.		
	Avoid con When hand Keep conta Avoid phy Always wa Use good of Empty con	tact with incompatible materials.  dling, DO NOT eat, drink or smoke.  ainers securely sealed when not in use.  sical damage to containers.  ash hands with soap and water after handling.  occupational work practice.  ttainers may contain residual dust which has the potential to accumulate		
	Avoid con When hand Keep conta Avoid phy Always wa Use good of Empty con following	tact with incompatible materials.  dling, DO NOT eat, drink or smoke.  ainers securely sealed when not in use.  sical damage to containers.  ash hands with soap and water after handling.  occupational work practice.  Itainers may contain residual dust which has the potential to accumulate settling. Such dusts may explode in the presence of an appropriate		
	Avoid con When hand Keep conta Avoid phy Always wa Use good of Empty con following a ignition so	tact with incompatible materials.  dling, DO NOT eat, drink or smoke.  ainers securely sealed when not in use.  sical damage to containers.  ash hands with soap and water after handling.  occupational work practice.  Itainers may contain residual dust which has the potential to accumulate settling. Such dusts may explode in the presence of an appropriate		
	Avoid con When hand Keep conta Avoid phy Always wa Use good of Empty con following a ignition so Do NOT co	tact with incompatible materials.  dling, DO NOT eat, drink or smoke.  ainers securely sealed when not in use.  sical damage to containers.  ash hands with soap and water after handling.  occupational work practice.  Itainers may contain residual dust which has the potential to accumulate settling. Such dusts may explode in the presence of an appropriate urce.  ut, drill, grind or weld such containers		
PPE	Avoid con When hand Keep conta Avoid phy Always wa Use good of Empty con following a ignition so Do NOT co	tact with incompatible materials.  dling, DO NOT eat, drink or smoke.  ainers securely sealed when not in use.  sical damage to containers.  ash hands with soap and water after handling.  occupational work practice.  Itainers may contain residual dust which has the potential to accumulate settling. Such dusts may explode in the presence of an appropriate urce.		
PPE	Avoid con When hand Keep conta Avoid phy Always wa Use good of Empty con following a ignition so Do NOT co	tact with incompatible materials.  dling, DO NOT eat, drink or smoke.  ainers securely sealed when not in use.  sical damage to containers.  ash hands with soap and water after handling.  occupational work practice.  Itainers may contain residual dust which has the potential to accumulate settling. Such dusts may explode in the presence of an appropriate urce.  ut, drill, grind or weld such containers		

8. Exposure Controls	/ Personal Protection	an	
Engineering controls	Local exhaust veneven when particular friction. Exhaust ventilation particulates in the If in spite of local respiratory protect (a): particle dust re (b): filter respirato (c): fresh-air hood Build-up of electrogrounding. Powder handling eadditional protecti Air contaminants gin turn, determine	tilation is required where solids are handled as powders or crystals; lates are relatively large, a certain proportion will be powdered by a should be designed to prevent accumulation and re-circulation of workplace.  exhaust an adverse concentration of the substance in air could occur, ion should be considered. Such protection might consist of: espirators, if necessary, combined with an absorption cartridge; rs with absorption cartridge or canister of the right type; s or masks ostatic charge on the dust particle, may be prevented by bonding and equipment such as dust collectors, dryers and mills may require on measures such as explosion venting. generated in the workplace possess varying "escape" velocities which, the "capture velocities" of fresh circulating air required to efficiently	
DDE	remove the contan		
PPE	Use personal prote	ective equipment	
9. Physical and Chemi	cal Properties		
Physical State	solid		
Odour	Not available		
Solubility in Water	N/A		
Specific Gravity	Not available		
рН	Not available		
Boiling Point	Not available		
Melting Point	Not available		
Flash Point	N/A		
Vapor Pressure:	N/A		
Vapor Density:	N/A		
10. Stability and Read	<u>ctivity</u>		
Thermal Decomposition	ı	No data available	
Dangerous Products of	Decomposition	No data available	
Dangerous Reactions	Decomposition	COx, NOx when burned	
Keep container tightly of and kept upright. Store	in -20°C refrigerator.	rentilated place. Containers which are opened must be carefully resealed	
11. Toxicological Info	<u>rmation</u>		
Toxicity			
Health Hazards			
Potential Hazards			
Carcinogenicity:			
OSHA Parmissible Evn	ocure Limit(PFI) De	N/A	

ACGIH Threshold Limit Values (TLV)		N/A
Reproductive Toxicity:		
12 5 1 1 1 6 4		
12. Ecological Information		
13. Disposal Considerations		
		te and federal regulations. Legislation addressing waste
disposal requirements may differ area. In some areas, certain waster		or territory. Each user must refer to laws operating in their
urea. In some areas, cortain waste	must be trucked.	
14. Transport Information		
Hazard Class	N/A	
Identification Number	N/A	
Packing Group	N/A	
Proper Shipping Name (DOT)	N/A	
15. Regulatory Information		
California Proposition 65: N/A	I A 37/A	
US TSCA (Toxic Substance Contr US CERCLA (Comprehensive En		, Compensation, and Liability Act: N/A
US SARA Title III (Superfund Am		
US Other: N/A		
EC EINICS (European Inventory	of Existing Commerci	al Chemical Substances) Number: N/A
EC Risk Statements: N/A		
Other Country Regulations: N/A		
16. Other Information		
		gricultural or cosmetic use. A technically qualified
_		y hazardous chemicals must supervise its use. The

It is not intended for food, drug, household, agricultural or cosmetic use. A technically qualified individual experienced in handling potentially hazardous chemicals must supervise its use. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product.