Safety Data Sheet (SDS)

| Revision Number: 2.0 | | Last updated Aug 27, 2017 |
|-----------------------------|-----------------------------|---------------------------|
| 1. Product and Company Iden | <u>'</u> itification | |
| Product Name: | Calcein, AM *UltraPure Grad | de* |
| Manufacturer/Supplier: | AnaSpec, Inc. | |
| | www.anaspec.com | |
| | 34801 Campus Drive | |
| | Fremont, CA 94555 | |
| | Tel: 510-791-9560 | |
| | Fax: 510-791-9572 | |
| | Email: service@anaspec.co | om |
| Catalog Number | 89202 | |
| Unit Size | 1mg | |

2. Hazards Identification

Emergency Overview: We do recommend handling all chemicals with caution. Use proper protective equipment when handling chemicals. To our knowledge, the hazards of this material have not been thoroughly investigated.

GHS Hazard Classification: N/A GHS Physical Hazards N/A

GHS Health and Environmental Hazards N/A

GHS Signal Words: None

GHS Hazard Statements: None

GHS Precautionary Statements: None

Potential Health Effects for:

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Good hygiene practice requires that exposure be kept to a minimum and that suitable control

measures be used in an occupational setting.

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician.

Skin: In case of contact, immediately wash skin with soap and copious amount of water.

Eyes: In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

Chronic Exposures: No information available. We recommend limiting prolonged exposure.

Target Organs: No information available

| 3. Composition | <u>on</u> | | |
|----------------|---|--|--|
| Ingredients/Co | omponents: | | |
| Chemical Nan | Calcein, AM *UltraPure Grade* C ₄₆ H ₄₆ N ₂ O ₂₃ Molecular weight: 994.9 CAS-No 148504-34-1 EC-No N/A | | |
| | | | |
| 4. First Aid I | <u>Measures</u> | | |
| Inhalation: | If dust is inhaled, remove from contaminated area. Encourage patient to blow nose to ensure clear passage of breathing. If irritation or discomfort persists seek medical attention. | | |
| Ingestion: | If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice. | | |
| Skin: | If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. | | |
| Eyes: | If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention. | | |

| Extinguishing a secoliar | res | Water array or for |
|----------------------------------|--|--|
| Extinguishing media: | | Water spray or fog. Alcohol resistant foam. |
| | | Dry chemical powder. |
| | | BCF (where regulations permit). |
| | | Carbon dioxide |
| | | Caroon dioxide |
| Special firefighting procedures: | | Alert Emergency Responders and tell them location and nature of |
| | | hazard. |
| | | Wear breathing apparatus plus protective gloves. |
| | | Prevent, by any means available, spillage from entering drains or water course. |
| | | Use water delivered as a fine spray to control fire and cool adjacent |
| | | area. |
| | | DO NOT approach containers suspected to be hot. |
| | | Cool fire exposed containers with water spray from a protected |
| | | location. |
| | | If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. |
| | | Equipment should be thoroughly decontaininated after use. |
| Unusual fire and explosi | ons hazards: | Emits toxic fumes under fire conditions |
| | | |
| 6. Accidental Release N | <u>Measures</u> | |
| Spill response | | ignition sources. |
| | | l spills immediately. |
| | | act with skin and eyes. |
| | | sonal contact by using protective equipment. |
| | | an up procedures and avoid generating dust. |
| Cantainmant | | uitable, labeled container for waste disposal ersonal contact, including inhalation. |
| Containment | | ersonal contact, including finalation. ctive clothing when risk of exposure occurs. |
| | | ell-ventilated area. |
| | | nter confined spaces until atmosphere has been checked. |
| | | llow material to contact humans, exposed food or food utensils. |
| | | act with incompatible materials. |
| | | ling, DO NOT eat, drink or smoke. |
| | | iners securely sealed when not in use. |
| | | ical damage to containers. |
| | Always wa | sh hands with soap and water after handling. |
| | Use good o | ccupational work practice. |
| | Empty containers may contain residual dust which has the potential to accumulate | |
| | | ettling. Such dusts may explode in the presence of an appropriate |
| | ignition sou | |
| | Do NOT cu | nt, drill, grind or weld such containers |
| | | |
| PPE | Use person | al protective equipment |
| PPE | Use person | al protective equipment |

| 8. Exposure Controls | / Personal Protection | on | |
|--|---|---|--|
| Engineering controls | Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction. Exhaust ventilation should be designed to prevent accumulation and re-circulation of particulates in the workplace. If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered. Such protection might consist of: (a): particle dust respirators, if necessary, combined with an absorption cartridge; (b): filter respirators with absorption cartridge or canister of the right type; (c): fresh-air hoods or masks Build-up of electrostatic charge on the dust particle, may be prevented by bonding and grounding. Powder handling equipment such as dust collectors, dryers and mills may require additional protection measures such as explosion venting. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to efficiently remove the contaminant. | | |
| PPE | Use personal prote | | |
| 9. Physical and Chem Physical State | ical Properties | | |
| Odour | Not available | | |
| Solubility in Water | Slightly water soluble; DMSO soluble | | |
| Specific Gravity | Not available | | |
| pH | Not available | | |
| Boiling Point | Not available | | |
| Melting Point | Not available | | |
| Flash Point | N/A | | |
| Vapor Pressure: | N/A | | |
| Vapor Density: | N/A | | |
| 10. Stability and Rea | <u>ctivity</u> | | |
| Thermal Decompositio | n | No data available | |
| Dangerous Products of | Decomposition | No data available | |
| Dangerous Reactions | | COx, NOx when burned | |
| Keep container tightly and kept upright. Store | | ventilated place. Containers which are opened must be carefully resealed. | |
| 11. Toxicological Info | ormation_ | | |
| RTECS Number | | N/A | |

Toxicity

No information available.

| Health Hazards | Although ingestion is not thought to produce harmful |
|---|--|
| | effects, the material may still be damaging to the |
| | health of the individual following ingestion, especially |
| | where pre-existing organ (e.g. liver, kidney) |
| | damage is evident. In an occupational setting however, |
| | ingestion of insignificant quantities is not thought to be |
| | cause for concern. |
| Potential Hazards | Not available |
| Carcinogenicity: | No significant acute toxicological data identified |
| OSHA Permissible Exposure Limit(PEL) Data | N/A |
| ACGIH Threshold Limit Values (TLV) | N/A |

Reproductive Toxicity:

No information available

12. Ecological Information

No information available.

13. Disposal Considerations

All waste must be handled in accordance with local, state and federal regulations. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

14. Transport Information

| Hazard Class | N/A |
|----------------------------|-----|
| Identification Number | N/A |
| Packing Group | N/A |
| Proper Shipping Name (DOT) | N/A |

15. Regulatory Information

California Proposition 65: This product does not contain chemicals listed under Proposition 65.

US TSCA (Toxic Substance Control Act): N/A

US CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act: N/A

US SARA Title III (Superfund Amendments and Reauthorization Act: N/A

US Other: N/A

EC EINICS (European Inventory of Existing Commercial Chemical Substances) Number: N/A

EC Risk Statements: N/A

Other Country Regulations: N/A

16. Other Information

It is not intended for food, drug, household, agricultural or cosmetic use. A technically qualified

individual experienced in handling potentially hazardous chemicals must supervise its use. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product.